



FIN-Window Classic-line 77+8
aluminium-PVC

Office building in Turin

Window replacement in a Generali insurance building.

Finstral replaced 150 elements on a historic office complex in the centre of Turin: categorised by the city as a “characteristic historical building”, its imposing style has been preserved. The windows in particular manifest this, with their round arches, panels, glazing bars, large glass surfaces of up to 4.5 metres in height, and brown frames and shutters.

The installation situation was especially interesting: some 50 years ago a second, newer surrounding frame with sash had probably been mounted on the original frame. The sash therefore first had to be removed along with the surrounding frame that had been fitted at the time in order for the original frame to be used as an installation frame. The replacement could then be carried out quickly, with no dust and dirt, meaning that the premises were soon ready for use again: the windows simply had to be cleared. Installation was carried out in a quiet, discreet and unobtrusive manner.

Type of building	Commercial
Construction	2023
Project	Window replacement
Planning	Dalmasso Stefano / SI.ME.TE. Srl Società di Ingegneria
Country	Italy
Region	Piedmont
Locality	Turin
Photographer	Meraner & Hauser

Office building in Turin

Window replacement in a Generali insurance building.

www.finstral.com/en/references/office-building-in-turin/311-11690.html











Office building in Turin

Window replacement in a Generali insurance building.

www.finstral.com/en/references/office-building-in-turin/311-11690.html





Office building in Turin

Window replacement in a Generali insurance building.

www.finstral.com/en/references/office-building-in-turin/311-11690.html



Products used

U_w - Heat transmittance coefficient of window element

R_w - Sound insulation properties of a window

npd - No performance determined



FIN-Window Classic-line 77+8 *aluminium-PVC*

U_w 1-sash 2-/3-glazing:

1,2 / 0,75 W/m²K

U_w 2-sash 2-/3-glazing:

1,2 / 0,85 W/m²K

R_w Standard:

32 (-2;-6) db

R_w Best value:

45 (-1;-3) db

Product data sheets and more information at
www.finstral.com/range